



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended August 26—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Continued.</i>														
Cambridge, Ohio.....	11,327	6									1	1	1	
Camden, S. C.....		2											1	
Carbondale, Pa.....	17,040	11					1							
Clinton, Mass.....	13,075	4	2											
Columbus, Ga.....		8												
Columbus, Ind.....		3									1			
Concord, N. H.....	21,497	14										1		
Cumberland, Md.....	21,839	7									4		14	
Dunkirk, N. Y.....		7					1	1						
Galesburg, Ill.....	20,089	2												
Gloucester, Mass.....	24,308	9												
Greensboro, N. C.....	15,895	8			1								3	
Harrison, N. J.....	14,498	4			1									
Hyde Park, Mass.....	15,507	4									1			
La Fayette, Ind.....	12,081	4										1		
Lebanon, Pa.....	19,240				1									
Marinette, Wis.....	14,610	3												
Marlboro, Mass.....	14,579	5											1	
Massillon, Ohio.....	13,879	0	2											
Medford, Mass.....	23,150	4	1											
Melrose, Mass.....	15,715	6												
Moline, Ill.....	24,199	9	1				3					1	13	
Montclair, N. J.....	21,150	7										1		
Morristown, N. J.....	12,507	5					1					1	1	2
Mount Vernon, N. Y.....					2						1			
Nanticoke, Pa.....	18,827	3												
Newbury, Mass.....	19,949	4									2		1	
North Adams, Mass.....	22,019	7												
Northampton, Mass.....	19,431	12	1	1										
Ottumwa, Iowa.....	22,012	8					4						3	
Palmer, Mass.....		5												
Pekskill, N. Y.....		12	3								1	1	2	
Pottstown, Pa.....		4											6	
Rutland, Vt.....		4												
Saratoga Springs, N. Y.....		7										1		
South Bethlehem, Pa.....	19,473	11											1	
Steelton, Pa.....	14,246	2	4				1				1			
Wilksburg, Pa.....	11,080	5					1						1	
Woburn, Mass.....	15,308	7	1		1							2		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

COLORADO—*Colorado Springs*.—Month of April, 1911. Population, 29,078. Total number of deaths from all causes 36, including tuberculosis 18. Cases reported: Measles 8, scarlet fever 5, smallpox 1, typhoid fever 2.

Month of May, 1911. Total number of deaths from all causes 39, including tuberculosis 16. Cases reported: Diphtheria 1, measles 10, scarlet fever 20, smallpox 5.

Month of June, 1911. Total number of deaths from all causes 40, including tuberculosis 16, typhoid fever 1. Cases reported: Measles 4, scarlet fever 11, smallpox 2, typhoid fever 4.

FLORIDA.—Week ended August 26, 1911. Reports from the State board of health show diphtheria present at 2 localities with 4 cases,

malaria at 4 localities with 7 cases, scarlet fever in 1 county with 1 case, smallpox in 5 counties with 9 cases, tuberculosis at 4 localities with 6 cases, typhoid fever at 6 localities with 11 cases.

IOWA.—Month of July, 1911. Population, 2,224,771. Total number of deaths from all causes 1,756, including diphtheria 9, measles 3, scarlet fever 5, tuberculosis 109, typhoid fever 23.

MASSACHUSETTS.—Week ended July 1, 1911. Population of reporting towns, 2,565,623. Total number of deaths from all causes 664, including diphtheria 9, measles 5, scarlet fever 1, tuberculosis 69, typhoid fever 1. Cases reported: Diphtheria 102, measles 433, scarlet fever 71, tuberculosis 138, typhoid fever 25.

Week ended July 8, 1911. Population of reporting towns, 2,554,219. Total number of deaths from all causes 1,327, including diphtheria 7, measles 3, scarlet fever 2, tuberculosis 80, typhoid fever 5. Cases reported: Diphtheria 67, measles 242, scarlet fever 51, tuberculosis 84, typhoid fever 35.

Week ended July 15, 1911. Population of reporting towns, 2,554,219. Total number of deaths from all causes 1,140, including diphtheria 4, measles 4, scarlet fever 2, tuberculosis 77, typhoid fever 3. Cases reported: Diphtheria 68, measles 244, scarlet fever 65, tuberculosis 110, typhoid fever 48.

Week ended July 22, 1911. Population of reporting towns, 2,554,219. Total number of deaths from all causes 737, including diphtheria 5, measles 3, tuberculosis 70, typhoid fever 4. Cases reported: Diphtheria 69, measles 163, scarlet fever 36, tuberculosis 138, typhoid fever 41.

Week ended July 29, 1911. Population of reporting towns, 2,554,219. Total number of deaths from all causes 737, including diphtheria 7, measles 4, scarlet fever 1, tuberculosis 65, typhoid fever 2. Cases reported: Diphtheria 69, measles 85, scarlet fever 46, tuberculosis 120, typhoid fever 50.

MICHIGAN.—Month of July, 1911. Population, 2,810,173. Cases of communicable diseases reported: Diphtheria 178 in 55 localities, measles 112 in 39 localities, scarlet fever 153 in 54 localities, smallpox 29 in 11 localities, tuberculosis 146 cases, typhoid fever 210 cases.

MINNESOTA.—Month of May, 1911. Population, 2,075,708. Total number of deaths from all causes 1,718, including diphtheria 41, measles 30, scarlet fever 16, smallpox 1, tuberculosis 216, typhoid fever 16.

NEW JERSEY.—Month ended August 10, 1911. Population, 2,537,167. Total number of deaths from all causes 3,825, including diphtheria 26, measles 11, scarlet fever 20, tuberculosis 355, typhoid fever 31.